



ATF L6S

Product Description:

ATF L6S is a high performance full synthetic long life ATF specially designed for all 6-speeds automatic transmissions developed by ZF where a constructor requires a M.1375-4 specification.

ATF L6S is based on fully synthetic base in combination with an unique additive package to ensure the following properties:

- Excellent thermo- and oxidation stability.
- Excellent lubrication, even under extreme conditions.
- Very high protection against wear, corrosion and foam.
- High "shear stable".
- Very low Pour point, can be used by very cold temperatures.
- High Viscosity Index.

ATF L6S exceeds the following performance criteria:

M.1375-4	VW G 055 005	Toyota Type WS
Nissan Matic S	Hyundai SP-IV	Mercon LV
Dexron VI	MB 236.12	BMW P/N 83 22 0 142 516



Property	Unit	Test Method	Typical Value
Color		Visual	Colorless to light Yellow
Density @15°C	kg/m ³	ASTM D4052	843
Kin. Viscosity @40°C	mm ² /s	ASTM D7042	27.1
Kin. Viscosity @100°C	mm ² /s	ASTM D7042	5.8
Viscosity Index		ASTM D2270	161
Flash Point COC	°C	ASTM D92	>201
Pour Point	°C	ASTM D7346	-48

Product Nr: 45010
Date Superseded: 31-10-2019

Date Issued: 16-12-2019
Revision nr: 03